


Replacing the siphon



1 Pour 6-8 liters of soapy hot water in the siphon to remove urine from the siphon.



2 Insert siphonkey in siphon. Turn siphonkey counterclockwise (left) to loosening the siphon.



3 Lift and tilt siphon to pour out the excess liquid.



4 Place the siphon in the bag, tie a knot on the bag and dispose it.



5 Scrub if necessary. Clean the housing with a urinalbrush. For keeping the drain clean properly. (Our item No 39).



6 Rinse the housing with 8-10 l. hot water.



7 Spray the rubber ring with silicone.



8 Place a new siphon in the housing and turn clockwise (right) to lock it.



9 Pour about 1-2 l. Water in the siphon until it is full, or until there are no more bubbles.



10 Add the blue sealing fluid and give it a little time to run down into the siphon. Wipe off excess sealing fluid with a cloth.



11 Spray Waterless cleaning on and around the siphon, then wipe clean. (Our item No 25).

Cleaning



Spray Waterless cleaning on both inside and outside of the urinal and let it work for a couple of minutes.



Wipe both inner and outer surface of the bowl with a cloth.



Important: Never pour water into the urinal as the sealing fluid will be flushed away.



The pore-free surface for easy, quick cleaning.

When to change siphon?

After 8-10,000 visits or 2-3 times a year, depending on use.
Urine flows very slowly down the siphon
If the sealing fluid comes out of the siphon

We recommend a service deal with Waterless or your local plumber.

The unique odour trap for floordrain



10 years guarantee

No. 25 • Cleaning & fragrance with enzymes
1 liter DKK 69,95 - Col. 6 pcs.

No. 22 • Sealing Fluid
1 liter DKK 149,95 - Col. 6 pcs.

No. 35 • Odor mat in blue colour
DKK 49,95 - Col. 10 pcs.

No. 39 • Drain Cleaningbrush 50 mm Ø
DKK 29,95 - Col. 1 pcs.

No. 60 • Odour trap Ø 50-59 mm, H 34 mm
Col. 6 pcs.

No. 61 • Odour trap Ø 73-82 mm, H 40 mm
Col. 6 pcs.

No. 62 • Odour trap Ø 90-95 mm, H 60 mm
Col. 6 pcs.

No. 63 • Odour trap Ø 104-110 mm, H 28 mm
Col. 6 pcs.